GLV 044.04

Growatt

SPH. SPA

10/26 - DECLARATION OF CONFORMITY for power-generating units LV ed2.1,2 (12/2019)

for the application of annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019)



The undersigned.

Manufacturer:

Address:

Shenzhen Growatt New Energy Technology Co., Represented by: No. 28 Guangming Road, Longteng community,

Country: email:

Vivian China

zhen zou@ginverter.com

Shiyan, Baoan, Shenzhen, P. R. China

Telephone:

(86) 13554702086

the following conditions:

1. The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019).

2. In order to substantiate this, a separate technical file has been submitted at least for each separate product series of the 'C10/26 list of powergenerating units' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D. duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.

2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is a declaration of honour by the manufacturer, the manufacturer declares by signing and dating this declaration of conformity the correctness of the information (conform / not conform / not applicable) provided by him or her in columns K, L and M of this checklist.

2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate, the necessary test reports and/or certificates are available * in the technical file;

- Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.
- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.

file.

Done & Shenzhen On: 2nd, Jan.

(location) (date)

(stamp manufacturer & signature)

Homologated by Synergrid on: Stamp Synergrid & signature:

USYNERGRID 8.8.b.I.-V.Z.W. Galerie Ravensteingalerij 4/2 1000 Bruxelles/Brussel AJB.T.W: BE 0402.958.091

* Transition period till 01/05/2020 (see exceptions in chapter 3 of C10/11 ed 2.1 (01/09/2019)):

If at the time of submission of this homologation application it is not yet possible to submit all the necessary certificates and/or test reports (exception 3), or that the units do not yet have all the required characteristics (exceptions 1 and 2), a temporary homologation may be granted. All necessary certificates and/or test reports must be in the possession of Synergrid at the latest on 30/04/2020 in order to obtain a final homologation. if

> C10/26 - homologation - 1. GLV ed2.1.2 (12/2019) on the basis of C10/11 ed.2.1 (01/09/2019)

C10/26 - homologation - 2. list of power-generating units ed.2.1. (01/09/2019) on the basis of C10/11 ed.2.1 (01/09/2019) or the basis of C10/11 and $^{-1}$

SYNERGRID a.s.b.L.v.zvv...
Galerie Ravensteingslerij 4/2
BE-1000 BruxellesjBrussel

| | - | | × | | | × | | * | × | | × | × | × | | x | өзвид-6 | 0008 | 0008 | | Energy meter SDM630, SDM630MCT, DTSU666 | 0 tHY | H8 6.1T0008 | V4s | 在10 | пемој | , |
|--------------------|--------------------------------|---------------------|-----------|-------------------|----------|-------------------|-----------|-----------------------------|---------------------|------------------------------------|---------------------------------|-------------------|-------------------|------------------------------------|---------------------------|------------------|---------------------------|--------------------------------------|---|---|-----------|---------------------|-------------------------------|-----|-----------|--------------------------|
| 907 | OWO | 1000 | x x | | | × | 1000 | | × | | × | × | × | 100 | x | essitq-6 | 0002 | 0004 | | D12Deee 2DWe30WCL* 2DWe30' Euei3\uejel | E. D'IHA | На елтосот | AS | | Демон | |
| ANI: | 1 | | ×× | | | × | | | × | | × | × | x | 200 | × | 3-phase | 0009 | 0009 | | DJ20eee 2DWe30WCJ; 2DWe30; | 0°1HX | HB E110009 | Aqe | e L | Tawo)e | |
| | | | × | 100000 | | × | 0.200 | | × | | × | × | x | | x | эявцд-6 | 2000 | 0009 | | Energy meter SDM630MCT, DTSU666 | D SHA | H8 E170002 | vds | | hewore | |
| | | | × | | 0.82 | × | | | × | | × | × | x | | x | 3-phase | 1000 | 4000 | | Energy meter SDM630MCT SDM630MCT DTSU666 | 0.147 | HB 6.17000Þ | VdS | | Hower | |
| | | | × | | | × | | 71.00 | × | 1 1 | × | × | × | | x | aserio-6 | 100001 | 00001 | | Energy meter SDM630MCT, SDM630MCT, | 0.147 | HB 6,1700001 | HdŞ | | Beword | |
| | | | × | | , | | | | × | | × | × | × | | × | 9-end-6 | 0008 | 0000 | | D12066 SDW630WC1, SDW630 SDW63 | 0.1AY | HB 6.1T0008 | HdS | | Theword | |
| | | | × | | 7.8 | | Wallow. | | × | 8 | × | × | x | 300 | × | эвши-г | 0004 | 0001 | | Energy meter SDM630, DTSU666 | 0.147 | H8 £170007 | HdS | 機を | #BW015 | |
| -504 | | , | × | | , | • | | | × | | × | × | × | | x | essild-6 | 0009 | 0009 | | Energy meler SDM630MCT, SDM630, | 0,147 | H8 6,110008 | HdS | | пвиото | |
| nt | | , | × | 24 | , | | | | × | | × | × | × | 0.00 | × | essiq-6 | 2000 | 0009 | | Eneigy meler SDM630MCT, DTSU668 | 0.1AY | HB 6.1T0008 | | | премод | |
| | | , | × | | 0 | | | | x | | × | × | × | | x | 3-phase | 0001 | 4000 | | Energy meter Spwe30, SDM630MCT, DTSU666 | 0.1AY | H8 £JT000¢ | HdS | | ЛБМОТО | |
| odation | omologation 0105/2020) | Mhèr awar akaban | ystorage | ed fraud & power) | entergy. | Ified as a backup | 2 2 | dule < 800W ologated for | and for Small power | installations er control aystem | e.g. EnFIURI) reduction P(U) | to underfrequency | rating frequency. | dy" = sultable for fation £ 1MW | grated paration system | | (AV) | 8 | rewog redito metere formo | Malental Malental | | | | | | |
| Final homologation | Temporary hor (expires on 0 | Sackupo | DI GENORO | CHP (combin | MOS | only homolog | anlythom | use in mo | Certy nomotog | compliant pow | provided (| power response | addiforal ope | "RIG type Bire; use in pate | infe automatic se | .1-phoses. 30 | sawod mumxem mumxem | Aginal poles (evilos) 19waq | iewod ieggo | bower courto | PERMINARE | REFERENCE of the un | PENES Mains of the product | 3M | BBYND NYI | deginnu es (Saza-W-x) |
| Annual Parks | to bhgren(8 | をかりますた | MIAS | lildd | | 1 | ENO DE | 11A11A | 2 2000 | SO | TRIPIE G 7.2 | 13A8 | CHA G | anoit | iddv | | VER | loa. | azatem uce oj tre bower alle: nitepje tosi enetiĝi | 1019 | | | | | | |

POWER-GENERALING UNITS TO BE HONOLOGATED FOR LIST CLO/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION CLO/11 eds.1 (01/09/2019)

2. CLO/26 list with power generating units in accordance with annex D of CLO/11 eds.1 (01/09/2019)

CLO/26 list with power generating units in accordance with annex D of CLO/11 eds.1 (01/09/2019)

CLO/26 list with power generating units in accordance with annex D of CLO/11 eds.1 (01/09/2019)

| Growatt SPA 10000TL3/BH | Energy meter SOM(630) | |
|--|-------------------------|--|
| 177 AV 177 178 AV 178 178 AV 1 | | |

EXPLANATIONS FOR THE COMPLETION OF THE TABLE

| Column | Title | Source of the state of the stat |
|--------|--|--|
| 1 | SYNERGRID reference number (GLVxxx-yy-zzzz) | In the case of a positive homologation, each C10/26-homologated power-generating unit is given a unique Synergrid reference number: xxx = unique reference or the manufacturer yy = serial number of manufacturer xxx's record xxx zzzz = unique unit reference for the manufacturer xxx Note: "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring". |
| 2 | Brand name | Brand name under which the unit is marketed on the Belgian market. |
| 3 | Name of the product series | Name of the product range. Note: For each separate product range (or each group of units with common characteristics) a separate checklist according to Appendix D is required (sheet 3) together with the corresponding conformity proof documents. |
| 4 | Reference of the model / type of the unit | Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference. |
| 5 | Firmware version | Reference of the firmware version of the unit. |
| 6 | power control system type EnFluRi | This case is only applicable for units (suitable for) energy storage, provided with a power control system of type EnFluRi: Name and reference of the power control system of type EnFluRi, compliant to the requirements in ClO/II ed2.1 (01/09/2019) § 4,1.7 and § 7, 11,2.1 |
| 7 | other power control system | This case is only applicable for units (suitable for) energy storage, provided with a power control system of another type than EnFluRi: Name and reference of the power control system, compliant to the requirements in C10/11 ed2.1 (01/09/2019) \$7.11.2.2 |
| 8 | power (W) | Active (electrical) power in K at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and nameplate. (For photovoltaic inverters: see also definition in § 3.2.5 of IEC 62894 2016-11) |
| 9 | Smax - maximum apparent nower (VA) | Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure. |
| 10 | 1-phase or 3-phase | Indicate whether the unit is single- or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network which the unit can be connected. |
| 11 ** | Additional characteristics | In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file Put an "X" at each relevant additional characteristic. Note: Only units < 1 MW that are "type B ready" may be applied in an installation \geq 1 MW (installation "type B" according to the European Network Code RfG). A unit 1 MW is only "type B ready" if it complies with <u>all</u> optional properties ticked in column I of the checklist Annex D. |
| 12 | Limitations | These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex and the corresponding technical file. Put an "X" to each relevant limitation. |
| 13 | Application | Indicate the applications for which the unit is suitable. Include an "X" with each application for which the unit can be used. |
| 14 | Synergrid approval date Temporary homologation (expires on 01/05/2020) | Date on which the submitted homologation file was approved by Symergrid for a limited period of time. A temporary homologation is granted if the applicant invokes exceptions in chapter 3 of ClO/II ed2.1 (01/09/2019) and has not yet submitted all the test reports required for a definitive homologation with his homologation application (exception 3), or if the units do not yet have all the required properties (exceptions) and |
| 15 | Synergrid approval date Final homologation | Date on which the submitted homologation file was definitely approved by Synergrid. A final approval will be granted as soon as Synergrid has a fully compliant homologation dossier. A final homologation only remains valid under the following conditions: No changes that have an influence on the initial approval are made to (the production of) the units. There is no new edition of prescription Cl0/11. The validity date of the test reports in the technical file submitted for approval has not been exceeded. See also the general Synergrid procedure S1/01 for homologation of material, which is applicable. (1) |

(I) - SI/OI Technical specification; procedure for application for hemologation and renewal of hemologation of materials

SYNERGRID a.s.b.l. 2.w Selection Revents eingalerij 4/2
T.V.A./B.T.W. BE 0402.358.01

